R₁

Combinatorial glycopeptides

 O_1 , O_2 , O_3 = Glycosylation sites

 R_1 to R_5 = Side chains that create site specificity

Figure 1

Title: RANDOMLY GENERATED GLYCOPEPTIDE COMBINATORIAL LIBRARIES

Inventor(s): R. Rao KOGANTY et al. Atty. Dkt. No.: 042881/0156 Sheet 2 of 7

A CYCLIC MUC1 PEPTIDE

Figure 2

Title: RANDOMLY GENERATED GLYCOPEPTIDE COMBINATORIAL LIBRARIES

Inventor(s): R. Rao KOGANTY et al. Atty. Dkt. No.: 042881/0156 Sheet 3 of 7

THE SIMPLEST CYCLIC PEPTIDE

A SOLUBLE VERSION OF THE ABOVE (with C₁₄ lipid)

Figure 3

347

Figure 4

$$\begin{array}{c|c} & & & & \\ & & & \\ & & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & &$$

Figure 5

Title: RANDOMLY GENERATED GLYCOPEPTIDE COMBINATORIAL LIBRARIES

Inventor(s): R. Rao KOGANTY et al. Atty. Dkt. No.: 042881/0156 Sheet 6 of 7

1

N EXAMPLE OF A CYCLIC PEPTIDE FOR RANDOM GLYCOSYLATIONS
SILITY OF SUCH PEPTIDES MAY BE ENHANCED BY HYDROPHOBIC GROUPS

Figure 6

FIGURE 8.

Inventor(s): R. Rao KOGANTY et al. Atty. Dkt. No.: 042881/0156 Sheet 7 of 7

Functional Demonstration of Glycopeptide Library With Well Characterized Monocional Antibodies

